


MERITOR® XTENDED LUBE MXL™ DRIVELINES FOR THE AFTERMARKET



MERITOR

IDEAS DRIVING RESULTS

EXTENDED LUBE INTERVALS
OF 100,000 MILES.



DOUBLE THE DISTANCE. HALF THE MAINTENANCE.


Instead of just replacing your driveline and components, why not install a better idea? Meritor drivelines and components result in greater distances, lower maintenance and a greater ROI.

The Meritor XTended Lube MXL driveline can cut your lubrication costs in half. With its advanced nitrile seal, the MXL extends lube intervals to 100,000 miles – twice what the competition offers.

No wonder. MXL drivelines are the product of Meritor's 100-plus years of driveline technology development.

From the MXL to all-makes drivelines, to U-joints, center bearings, yokes, tubing and seals, the ideas behind our components drive results. Meritor products such as the MXL give you the payback you want. Plus the total aftermarket support you deserve.

100,000-Mile Lube Intervals*



Available in popular sizes: 16N, 17N, 176N and 18N, in both easy-service and full-round styles

These components have been linking transmissions and drive axles for trouble-free driving for decades. Now Meritor has combined technologies to create the Meritor XTended Lube MXL driveline.

* Inspection intervals may differ. See Meritor driveline manual for details.




MXL U-JOINTS – SOLID CONSTRUCTION INSIDE AND OUT.

Nylon thrust washers eliminate metal-to-metal contact, reducing wear and extending life

Superior bearing package ensures long, trouble-free life

Precision-ground, large-diameter trunnions provide superior strength



Retained-needle bearings provide quick and trouble-free installation

Advanced nitrile, triple-lip sealing system keeps lubrication in and contaminants out, for longer life

Corrosion-resistant seal guard protects and secures advanced slip seal

MXL U-Joints

M279X	1610 Full-Round U-Joint
M280X	1710 Full-Round U-Joint
M281X	1810 Full-Round U-Joint
M407X	1760 Full-Round U-Joint
M674X	1610 Half-Round U-Joint
M675X	1710 Half-Round U-Joint
M676X	1810 Half-Round U-Joint
M677X	1760 Half-Round U-Joint

Center Bearing – Self-Aligning

- Standard on MXL
- Accommodates +/- 5-degree driveline angularity
- Sealed bearing with integral deflector shield and grease barrier protects the bearing against contamination without the use of external deflectors

CB210121-1XSA	17N
CB210661-1XSA	17N (Heavy-Duty), 176N & 18N
CB210875-1XSA	17N (Heavy-Duty), 176N & 18N



Slip Yokes

- Compatible with other industry-standard yokes
- Available with both easy-service and full-round yoke designs
- Completely interchangeable with most greaseable drivelines
- Allows driveline standardization regardless of vehicle make

17N 3 2761X MXL	18N 3 1431X MXL
17NLS40 98CA1 MXL	18N 3 1351X MXL
17N 3 2631X MXL	18N 3 1371X MXL
17N 3 2671X MXL	
17N 3 3021X MXL	176N 3 41X MXL
17NLS40 124A1 MXL	176N 3 21X MXL
17N3 2651X MXL	
17N 3 2571X MXL	16NLS32 47A2 MXL
17NLS40 121A1 MXL	16NLS32 48A2 MXL

IDEAS DRIVING RESULTS

As a world leader in providing aftermarket solutions for the global commercial vehicle and industrial markets, Meritor is committed to providing our customers with innovative aftermarket ideas that deliver the results you need to get the job done faster, better and more efficiently.



Meritor Heavy Vehicle Systems, LLC
7975 Dixie Highway
Florence, Kentucky 41042 USA

U.S. 888-725-9355
Canada 800-387-3889
or visit meritor.com

©2016 Meritor, Inc.
Litho in USA, SP-1131
Revised 01-16 (13028/11900)